PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): McMenimen et al

Docket:

P9153.01

Serial No.:

09/775,281

Group Art:

2167

Filed:

February 1, 2001

Examiner:

Title:

RESPONSIVE MANUFACTURING AND INVENTORY CONTROL

Honorable Commissioner For Patents and Trademarks Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application papers mailed February 1, 2001, applicants respectfully enclose substitute drawings in accordance with 37 CFR 1.84 for examination.

The Notice cited 37 CFR 1.84 because the drawing sheets originally submitted did not have the correct margins. This has been corrected, and the substitute drawing sheets are enclosed, along with a copy of the Notice.

Respectfully submitted,

McMenimen et al By their attorneys,

5/21/01

Atty: GIRMA WOLDE-MICHA

Reg. No.36,724

MEDTRONIC, INC.

7000 Central Avenue N.E. Minneapolis, Minnesota 55432

(763) 514-6402

P-9153.0

MTHE UNITED STATES PATENT AND TRADEMARK OFFICE MAY 2 5 2001

PATENT

In re Application of:

For:

Serial No.: Filed:

McMenimen et al

09/09/A/SEA NUFACTURING AND INVENTORY CONTROL

February 1, 2001

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this Response and Transmittal and the paper(s), as described herein are being deposited with the United States Postal Service, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on this ___

day of

Signature

Jennifer Bommentre

TRANSMITTAL

Printed Name

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

X

We are transmitting herewith the attached:

X **RESPONSE Transmittal**

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS Х

X SUBSTITUTE DRAWINGS

Х COPY OF NOTICE TO FILE CORRECTED APPLICATION PAPERS

Return Postcard X

Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment

Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition

therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

GIRMA WOLDE-MICHAEL, Reg. No. 36,724

MEDTRONIC, INC. 710 Medtronic Parkway NE

Minneapolis, Minnesota 55432-5604

Telephone: (763) 514-6402



MISSING PARTS TRANSMITTAL

In re Application of: McMenicos et a For: RESPONSIVE MANUFACTUAL In re Application of: McMen

AND INVENTORY CONTROL

Serial No.: 09/775,281 Filed: February 1, 2001

> CERTIFICATE OF MAILING UNDER 37 CFR 1.8: I hereby certify that this MISSING PARTS and the paper(s), as described herein, are being deposited in the U.S. Postal Service, as first class mail, addressed to the Box Missing Parts, Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this 2/ day of

_, 2001.

Jennifer Bommentre

Printed Name

Box Missing Parts Commissioner of Patents and Trademarks Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

- X Signed Combined Declaration and Power of Attorney
- Notice to File Missing Parts of Application Part 2
- Return Postcard X
- Please charge Missing Parts surcharge of \$130.00 to Deposit Account No. 13-2546. X
- Applicant hereby petitions for a ONE months' extension of time. If an additional extension of time is required, please Χ consider this petition therefor.
- Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor X to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.
- Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Missing Parts X Transmittal with regard to this filing. A duplicate of this transmittal is enclosed. 06/18/2001 TV0111 00000008 132546 09775281

01 FC:115


110.00 CH

GIRMA WOLDE-MICHAEL

Reg. No. 36,724 MEDTRONIC, INC. 7000 Central Avenue N.E.

Minneapolis, Minnesota 55432

Telephone: (763) 514-6402



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/775,281

02/01/2001

James L. McMenimen

P-9153.01

CONFIRMATION NO. 8273

FORMALITIES LETTER

OC000000005847454

GIRMA WOLDE-MICHAEL Medtronic, Inc. 7000 Central Avenue NE, MS 301 Minneapolis, MN 55432

Date Mailed: 03/09/2001

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

06/18/2001 TV0111

00000007 132546

09775281

FILED UNDER 37 CFR 1.53(b)

01 FC:105

130.00 CH

Filing Date Granted

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given TWO MONTHS from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The oath or declaration is unsigned.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(e) of \$130 for a non-small entity, must be submitted with the missing items identified in this letter.
- The balance due by applicant is \$ 130.

The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

